

| Models | Frame Size Number | Wheel size | A - Seat tube | B - Seat tube angle | C - Head tube length | D - Head angle | E - Effective top tube | F - Bottom bracket height | G - Bottom bracket drop | H - Chainstay length | I - Offset | J - Trail | K - Wheelbase | L - Standover | M - Frame reach | N - Frame stack |
|---------------------|-------------------|------------|---------------|---------------------|----------------------|----------------|------------------------|---------------------------|-------------------------|----------------------|------------|-----------|---------------|---------------|-----------------|-----------------|
| Top Fuel | 15.5" | 27.5" | 39.4 | 69.5 ° | 10.0 | 69.9 ° | 55.8 | 33.0 | 2.5 | 42.6 | 4.7 | 8.0 | 106.4 | 75.7 | 39.2 | 56.1 |
| Low geometry** | 17.5" | 29" | 41.9 | 68.5 ° | 9.0 | 70.0 ° | 59.3 | 33.0 | 3.9 | 43.3 | 5.1 | 8.0 | 111.1 | 75.0 | 42.7 | 57.7 |
| | 18.5" | 29" | 44.5 | 68.5 ° | 9.0 | 70.0 ° | 60.9 | 33.0 | 3.9 | 43.3 | 5.1 | 8.0 | 112.7 | 74.1 | 44.3 | 57.7 |
| | 19.5" | 29" | 47.0 | 68.5 ° | 10.0 | 70.0 ° | 62.5 | 33.0 | 3.9 | 43.3 | 5.1 | 8.0 | 114.4 | 74.5 | 45.7 | 58.7 |
| | 21.5" | 29" | 52.1 | 68.5 ° | 12.0 | 70.0 ° | 64.6 | 33.0 | 3.9 | 43.3 | 5.1 | 8.0 | 116.3 | 75.1 | 46.4 | 60.6 |
| Top Fuel | 15.5" | 27.5" | 39.4 | 70.5 ° | 10.0 | 70.9 ° | 55.8 | 34.1 | 1.4 | 42.4 | 4.7 | 7.9 | 106.3 | 76.6 | 40.1 | 55.4 |
| High geometry** | 17.5" | 29" | 41.9 | 69.4 ° | 9.0 | 70.9 ° | 59.2 | 34.1 | 2.8 | 43.2 | 5.1 | 7.9 | 110.9 | 75.3 | 43.6 | 57.0 |
| | 18.5" | 29" | 44.5 | 69.4 ° | 9.0 | 70.9 ° | 60.9 | 34.1 | 2.8 | 43.2 | 5.1 | 7.9 | 112.5 | 77.7 | 45.2 | 57.0 |
| | 19.5" | 29" | 47.0 | 69.4 ° | 10.0 | 70.9 ° | 62.5 | 34.1 | 2.7 | 43.2 | 5.1 | 7.9 | 114.3 | 80.1 | 46.6 | 58.0 |
| | 21.5" | 29" | 52.1 | 69.4 ° | 12.0 | 70.9 ° | 64.6 | 34.1 | 2.7 | 43.2 | 5.1 | 7.9 | 116.5 | 82.5 | 48.1 | 60.5 |
| Procaliber | 15.5" | 27.5" | 39.4 | 73.0 ° | 10.0 | 69.3 ° | 55.8 | 30.2 | 4.8 | 42.5 | 4.4 | 8.3 | 105.3 | 72.7 | 38.2 | 58.3 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 9.0 | 69.5 ° | 59.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 109.8 | 75.0 | 41.2 | 59.5 |
| | 18.5" | 29" | 44.5 | 72.0 ° | 9.0 | 69.5 ° | 61.7 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.3 | 76.4 | 42.7 | 59.5 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.5 ° | 63.8 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 113.2 | 77.8 | 44.2 | 60.4 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.5 ° | 65.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 115.4 | 81.6 | 45.7 | 62.3 |
| Superfly Carbon | 15.5" | 27.5" | 36.8 | 73.0 ° | 10.0 | 69.3 ° | 55.8 | 30.2 | 4.8 | 42.5 | 4.4 | 8.5 | 105.3 | 72.1 | 37.2 | 58.3 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 110.3 | 76.7 | 41.2 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.6 | 77.9 | 42.7 | 60.1 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.6 ° | 63.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 113.1 | 79.2 | 44.3 | 60.1 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.6 ° | 65.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 115.2 | 82.9 | 45.7 | 61.9 |
| | 23" | 29" | 55.9 | 72.0 ° | 12.0 | 69.6 ° | 67.3 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 116.6 | 84.7 | 47.1 | 61.9 |
| Superfly AL | 15.5" | 27.5" | 36.8 | 73.0 ° | 10.0 | 69.3 ° | 55.8 | 30.2 | 4.8 | 42.5 | 4.4 | 8.5 | 105.3 | 72.1 | 37.2 | 58.3 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 110.3 | 76.5 | 41.2 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.6 | 77.6 | 42.7 | 60.1 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.6 ° | 63.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 113.1 | 79.5 | 44.3 | 60.1 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.6 ° | 65.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 115.2 | 82.3 | 45.7 | 61.9 |
| | 23" | 29" | 55.9 | 72.0 ° | 12.0 | 69.6 ° | 67.3 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 116.6 | 84.4 | 47.1 | 61.9 |
| Superfly SS | 15.5" | 29" | 36.8 | 73.0 ° | 10.0 | 69.3 ° | 57.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 107.7 | 74.7 | 38.6 | 60.0 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 110.3 | 76.5 | 41.2 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.6 | 77.6 | 42.7 | 60.1 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.6 ° | 63.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 113.1 | 79.5 | 44.3 | 60.1 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.6 ° | 65.9 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 115.2 | 82.3 | 45.7 | 61.9 |
| | 23" | 29" | 55.9 | 72.0 ° | 12.0 | 69.6 ° | 67.3 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 116.6 | 84.4 | 47.1 | 61.9 |
| Superfly Carbon WSD | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 54.1 | 30.2 | 4.8 | 42.5 | 4.4 | 8.7 | 103.7 | 71.0 | 37.0 | 56.3 |
| | 15.5" | 27.5" | 36.8 | 73.0 ° | 10.0 | 69.3 ° | 55.8 | 30.2 | 4.8 | 42.5 | 4.4 | 8.5 | 105.3 | 72.1 | 37.2 | 58.3 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 110.3 | 76.7 | 41.2 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.6 | 77.9 | 42.7 | 60.1 |
| Superfly AL WSD | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 54.1 | 30.2 | 4.8 | 42.5 | 4.4 | 8.7 | 103.7 | 71.0 | 37.0 | 56.3 |
| | 15.5" | 27.5" | 36.8 | 73.0 ° | 10.0 | 69.3 ° | 55.8 | 30.2 | 4.8 | 42.5 | 4.4 | 8.5 | 105.3 | 72.1 | 37.2 | 58.3 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.1 | 5.8 | 43.5 | 5.1 | 8.5 | 110.3 | 76.5 | 41.2 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.1 | 5.8 | 43.5 | 5.1 | 8.3 | 111.6 | 77.6 | 42.7 | 60.1 |
| X-Caliber | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 52.5 | 30.6 | 4.8 | 43.8 | 4.4 | 8.9 | 103.3 | 66.0 | 35.2 | 56.5 |
| | 15.5" | 27.5" | 39.4 | 73.0 ° | 10.0 | 69.3 ° | 56.0 | 30.6 | 4.8 | 43.8 | 4.4 | 8.7 | 106.6 | 74.5 | 38.1 | 58.5 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.6 | 5.3 | 44.5 | 5.1 | 8.5 | 111.6 | 76.5 | 41.3 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 112.8 | 77.7 | 42.8 | 60.1 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.6 ° | 63.9 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 114.4 | 78.9 | 44.4 | 60.1 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.6 ° | 65.9 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 116.5 | 82.5 | 45.8 | 62.0 |
| | 23" | 29" | 55.9 | 72.0 ° | 12.0 | 69.6 ° | 67.3 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 117.9 | 84.8 | 47.2 | 62.0 |
| Cali | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 52.5 | 30.6 | 4.8 | 43.8 | 4.4 | 8.9 | 103.3 | 66.0 | 35.2 | 56.5 |
| | 15.5" | 27.5" | 39.4 | 73.0 ° | 10.0 | 69.3 ° | 56.0 | 30.6 | 4.8 | 43.8 | 4.4 | 8.7 | 106.6 | 74.5 | 38.1 | 58.5 |
| | 17" | 29" | 40.6 | 73.0 ° | 10.0 | 69.0 ° | 59.0 | 31.2 | | 44.5 | 5.1 | 8.5 | 111.3 | 66.9 | 40.7 | 59.8 |
| | 18.5" | 29" | 44.5 | 73.0 ° | 10.0 | 69.0 ° | 61.2 | 31.2 | | 44.5 | 5.1 | 8.5 | 113.5 | 68.5 | 42.9 | 59.8 |
| Fuel EX 29 | 15.5" | 29" | 39.4 | 67.0 ° | 10.5 | 68.8 ° | 57.2 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 110.5 | 78.0 | 39.5 | 60.2 |
| Low geometry** | 17.5" | 29" | 42.0 | 67.0 ° | 10.5 | 68.8 ° | 60.3 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 113.6 | 76.6 | 42.6 | 60.2 |
| | 18.5" | 29" | 44.5 | 67.0 ° | 11.5 | 68.8 ° | 61.7 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 115.1 | 78.0 | 43.7 | 61.1 |
| | 19.5" | 29" | 47.0 | 67.0 ° | 11.5 | 68.8 ° | 63.2 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 116.6 | 77.3 | 45.2 | 61.1 |
| | 21.5" | 29" | 50.8 | 67.0 ° | 13.0 | 68.8 ° | 65.5 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 119.0 | 78.3 | 47.1 | 62.5 |

| | | | | | | | | | | | | | | | | |
|--------------------|-------|-------|------|--------|------|--------|------|------|-----|------|-----|------|-------|------|------|------|
| | 23" | 29" | 55.9 | 67.0 ° | 14.5 | 68.8 ° | 66.8 | 33.4 | 3.6 | 43.6 | 5.1 | 8.9 | 120.5 | 78.4 | 48.0 | 63.9 |
| Fuel EX 29 | 15.5" | 29" | 39.4 | 67.7 ° | 10.5 | 69.4 ° | 57.0 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 110.4 | 78.7 | 40.2 | 59.7 |
| High geometry** | 17.5" | 29" | 42.0 | 67.7 ° | 10.5 | 69.4 ° | 60.1 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 113.5 | 77.3 | 43.3 | 59.7 |
| | 18.5" | 29" | 44.5 | 67.7 ° | 11.5 | 69.4 ° | 61.5 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 115.0 | 78.7 | 44.4 | 60.6 |
| | 19.5" | 29" | 47.0 | 67.7 ° | 11.5 | 69.4 ° | 63.0 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 116.5 | 78.0 | 45.9 | 60.6 |
| | 21.5" | 29" | 50.8 | 67.7 ° | 13.0 | 69.4 ° | 65.3 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 118.9 | 79.0 | 47.8 | 62.0 |
| | 23" | 29" | 55.9 | 67.7 ° | 14.5 | 69.4 ° | 66.6 | 34.2 | 2.3 | 43.4 | 5.1 | 8.9 | 120.4 | 79.2 | 48.7 | 63.4 |
| Fuel EX 27.5 | 15.5" | 27.5" | 36.8 | 73.0 ° | 9.5 | 68.0 ° | 55.5 | 33.3 | 1.7 | 43.3 | 4.4 | 8.4 | 110.1 | 74.0 | 37.4 | 56.0 |
| | 17.5" | 27.5" | 41.9 | 73.0 ° | 10.0 | 68.0 ° | 58.8 | 33.3 | 1.7 | 43.3 | 4.4 | 8.4 | 113.7 | 73.0 | 41.5 | 65.5 |
| | 18.5" | 27.5" | 44.5 | 73.0 ° | 11.0 | 68.0 ° | 60.8 | 33.3 | 1.7 | 43.3 | 4.4 | 8.4 | 115.5 | 73.0 | 43.2 | 57.4 |
| | 19.5" | 27.5" | 47.0 | 73.0 ° | 12.0 | 68.0 ° | 62.7 | 33.3 | 1.7 | 43.3 | 4.4 | 8.4 | 117.0 | 74.0 | 44.9 | 58.3 |
| | 21.5" | 27.5" | 52.1 | 73.0 ° | 14.0 | 68.0 ° | 65.3 | 33.3 | 1.7 | 43.3 | 4.4 | 8.4 | 119.4 | 74.2 | 46.9 | 60.2 |
| Lush Carbon | 14" | 27.5" | 35.5 | 74.0 ° | 9.5 | 68.0 ° | 53.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 107.0 | 69.1 | 37.0 | 55.9 |
| | 15.5" | 27.5" | 39.4 | 74.0 ° | 9.5 | 68.0 ° | 55.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 109.0 | 68.2 | 39.0 | 55.9 |
| | 17" | 27.5" | 40.6 | 74.0 ° | 10.5 | 68.0 ° | 58.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 112.1 | 68.7 | 41.7 | 56.8 |
| | 18.5" | 27.5" | 44.5 | 74.0 ° | 12.0 | 68.0 ° | 60.5 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 114.7 | 69.0 | 43.8 | 58.2 |
| Lush AL | 14" | 27.5" | 35.5 | 74.0 ° | 9.5 | 68.0 ° | 53.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 107.0 | 69.1 | 37.0 | 55.9 |
| | 15.5" | 27.5" | 39.4 | 74.0 ° | 9.5 | 68.0 ° | 55.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 109.0 | 68.2 | 39.0 | 55.9 |
| | 17" | 27.5" | 40.6 | 74.0 ° | 10.5 | 68.0 ° | 58.0 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 112.1 | 68.7 | 41.7 | 56.8 |
| | 18.5" | 27.5" | 44.5 | 74.0 ° | 12.0 | 68.0 ° | 60.5 | 33.5 | 1.5 | 43.3 | 4.4 | 9.4 | 114.7 | 68.8 | 43.8 | 58.2 |
| Stache 9 | 15.5" | 29" | 39.4 | 68.9 ° | 9.0 | 68.4 ° | 56.3 | 32.9 | 6.1 | 42 | 5.1 | 10.0 | 107.1 | 79.8 | 37.9 | 62.1 |
| Stache 7 | 17.5" | 29" | 41.9 | 68.9 ° | 9.0 | 68.4 ° | 59.1 | 32.9 | 6.1 | 42 | 5.1 | 10.0 | 109.9 | 80.9 | 40.7 | 62.1 |
| | 18.5" | 29" | 44.5 | 68.9 ° | 10.0 | 68.4 ° | 60.9 | 32.9 | 6.1 | 42 | 5.1 | 10.0 | 111.7 | 82.0 | 42.1 | 63.0 |
| | 19.5" | 29" | 47.0 | 68.9 ° | 10.0 | 68.4 ° | 62.4 | 32.9 | 6.1 | 42 | 5.1 | 10.0 | 113.2 | 80.8 | 43.6 | 63.0 |
| | 21.5" | 29" | 52.1 | 68.9 ° | 11.0 | 68.4 ° | 64.6 | 32.9 | 6.1 | 42 | 5.1 | 10.0 | 115.5 | 80.8 | 45.6 | 64.0 |
| Stache 5 | 15.5" | 29" | 39.4 | 70.8 ° | 9.0 | 70.3 ° | 55.5 | 31.3 | 7.5 | 42 | 5.1 | 8.5 | 105.7 | 77.8 | 40.1 | 60.7 |
| | 17.5" | 29" | 41.9 | 70.8 ° | 9.0 | 70.3 ° | 58.3 | 31.3 | 7.5 | 42 | 5.1 | 8.5 | 108.5 | 79.1 | 43 | 60.6 |
| | 18.5" | 29" | 44.5 | 70.8 ° | 10.0 | 70.3 ° | 60.1 | 31.3 | 7.5 | 42 | 5.1 | 8.5 | 110.3 | 80.3 | 44.3 | 61.5 |
| | 19.5" | 29" | 47.0 | 70.8 ° | 10.0 | 70.3 ° | 61.6 | 31.3 | 7.5 | 42 | 5.1 | 8.5 | 111.8 | 79.2 | 45.8 | 61.5 |
| | 21.5" | 29" | 52.1 | 70.8 ° | 11.0 | 70.3 ° | 63.8 | 31.3 | 7.5 | 42 | 5.1 | 8.5 | 114.0 | 79.2 | 47.7 | 62.4 |
| Farley 5 | 15.5" | 26" | 36.8 | 73.0 ° | 10.0 | 69.0 ° | 56.6 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 107.8 | 76.4 | 38.3 | 59.8 |
| Farley 7 | 17.5" | 26" | 41.9 | 73.0 ° | 10.0 | 69.0 ° | 59.3 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 110.5 | 75 | 41 | 59.8 |
| | 19.5" | 26" | 47.0 | 73.0 ° | 12.0 | 69.0 ° | 63.0 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 114.3 | 77.8 | 44.1 | 61.7 |
| | 21.5" | 26" | 52.1 | 73.0 ° | 12.0 | 69.0 ° | 64.3 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 115.6 | 81.6 | 45.4 | 61.7 |
| Farley 9 | 15.5" | 27.5" | 36.8 | 70.5 | 10.0 | 68.0 ° | 56.6 | 32.2 | 5.7 | 44.0 | 5.1 | 10 | 108.4 | 76.4 | 37.2 | 60.5 |
| | 17.5" | 27.5" | 41.9 | 70.5 | 10.0 | 68.0 ° | 59.3 | 32.2 | 5.7 | 44.0 | 5.1 | 10 | 111.1 | 75 | 40 | 60.5 |
| | 19.5" | 27.5" | 47.0 | 70.5 | 12.0 | 68.0 ° | 63.0 | 32.2 | 5.7 | 44.0 | 5.1 | 10 | 115 | 77.8 | 43 | 62.5 |
| | 21.5" | 27.5" | 52.1 | 70.5 | 12.0 | 68.0 ° | 64.3 | 32.2 | 5.7 | 44.0 | 5.1 | 10 | 116.3 | 81.6 | 44.4 | 62.5 |
| Farley 9.8 | 15.5" | 27.5" | 36.8 | 73.0 ° | 10.0 | 69.0 ° | 56.6 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 107.8 | 76.4 | 38.3 | 59.8 |
| Farley 9.6 | 17.5" | 27.5" | 41.9 | 73.0 ° | 10.0 | 69.0 ° | 59.3 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 110.5 | 75 | 41 | 59.8 |
| | 19.5" | 27.5" | 47.0 | 73.0 ° | 12.0 | 69.0 ° | 63.0 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 114.3 | 77.8 | 44.1 | 61.7 |
| | 21.5" | 27.5" | 52.1 | 73.0 ° | 12.0 | 69.0 ° | 64.3 | 31.5 | 6.5 | 44.0 | 5.1 | 9.1 | 115.6 | 81.6 | 45.4 | 61.7 |
| Remedy Carbon 27.5 | 15.5" | 27.5" | 39.4 | 67.5 ° | 10.0 | 67.5 ° | 54.9 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 109.8 | 77.2 | 36.6 | 59.3 |
| Low geometry** | 17.5" | 27.5" | 41.9 | 67.5 ° | 10.0 | 67.5 ° | 58.2 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 113.1 | 75.8 | 39.4 | 69.4 |
| | 18.5" | 27.5" | 44.5 | 67.5 ° | 10.5 | 67.5 ° | 60.1 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 115.1 | 74.4 | 41.7 | 69.9 |
| | 19.5" | 27.5" | 47.0 | 67.5 ° | 11.0 | 67.5 ° | 61.8 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 116.7 | 74.2 | 43.2 | 60.4 |
| | 21.5" | 27.5" | 50.8 | 67.5 ° | 12.5 | 67.5 ° | 64.6 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 119.6 | 73.9 | 45.5 | 61.8 |
| Remedy Carbon 27.5 | 15.5" | 27.5" | 39.4 | 68.2 ° | 10.0 | 68.2 ° | 54.6 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 109.7 | 77.9 | 37.3 | 58.9 |
| High geometry** | 17.5" | 27.5" | 41.9 | 68.2 ° | 10.0 | 68.2 ° | 57.9 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 113.0 | 76.5 | 40.6 | 58.9 |
| | 18.5" | 27.5" | 44.5 | 68.1 ° | 10.5 | 68.1 ° | 59.8 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 114.9 | 75.1 | 42.4 | 59.4 |
| | 19.5" | 27.5" | 47.0 | 68.1 ° | 11.0 | 68.1 ° | 61.5 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 116.6 | 74.9 | 43.9 | 59.9 |
| | 21.5" | 27.5" | 50.8 | 68.1 ° | 12.5 | 68.1 ° | 64.3 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 119.3 | 74.6 | 46.1 | 61.3 |
| Remedy AL 27.5 | 15.5" | 27.5" | 39.4 | 67.5 ° | 10.0 | 67.5 ° | 54.9 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 109.8 | 77.6 | 36.6 | 59.3 |
| Low geometry** | 17.5" | 27.5" | 41.9 | 67.5 ° | 10.0 | 67.5 ° | 58.2 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 113.1 | 75.8 | 39.4 | 69.4 |
| | 18.5" | 27.5" | 44.5 | 67.5 ° | 10.5 | 67.5 ° | 60.1 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 115.1 | 74.4 | 41.7 | 69.9 |
| | 19.5" | 27.5" | 47.0 | 67.5 ° | 11.0 | 67.5 ° | 61.8 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 116.7 | 74.0 | 43.2 | 60.4 |
| | 21.5" | 27.5" | 50.8 | 67.5 ° | 12.5 | 67.5 ° | 64.6 | 33.8 | 1.5 | 43.5 | 4.3 | 10.0 | 119.6 | 74.5 | 45.5 | 61.8 |
| Remedy AL 27.5 | 15.5" | 27.5" | 39.4 | 68.2 ° | 10.0 | 68.2 ° | 54.6 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 109.7 | 78.2 | 37.3 | 58.9 |
| High geometry** | 17.5" | 27.5" | 41.9 | 68.2 ° | 10.0 | 68.2 ° | 57.9 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 113.0 | 76.5 | 40.6 | 58.9 |
| | 18.5" | 27.5" | 44.5 | 68.1 ° | 10.5 | 68.1 ° | 59.8 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 114.9 | 75.1 | 42.4 | 59.4 |
| | 19.5" | 27.5" | 47.0 | 68.1 ° | 11.0 | 68.1 ° | 61.5 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 116.6 | 74.7 | 43.9 | 59.9 |
| | 21.5" | 27.5" | 50.8 | 68.1 ° | 12.5 | 68.1 ° | 64.3 | 34.6 | .7 | 43.3 | 4.3 | 9.5 | 119.3 | 75.3 | 46.1 | 61.3 |
| Remedy Carbon 29 | 15.5" | 29" | 39.4 | 68.0 ° | 10.0 | 67.5 ° | 54.6 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 112.8 | 77.1 | 38.6 | 60.5 |
| Low geometry** | 17.5" | 29" | 41.9 | 68.0 ° | 10.0 | 67.5 ° | 57.6 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 115.8 | 76.7 | 41.6 | 60.5 |
| | 18.5" | 29" | 44.5 | 68.0 ° | 10.5 | 67.5 ° | 59.4 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 117.5 | 74.5 | 43.2 | 60.9 |

| | | | | | | | | | | | | | | | | |
|------------------|-------|-------|------|--------|------|--------|------|------|-----|------|-----|------|-------|------|------|------|
| | 19.5" | 29" | 47.0 | 68.0 ° | 11.0 | 67.5 ° | 60.9 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 119.0 | 75.1 | 44.7 | 60.9 |
| | 21.5" | 29" | 52.1 | 68.0 ° | 12.5 | 67.5 ° | 63.1 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 121.2 | 76.6 | 46.5 | 61.9 |
| Remedy Carbon 29 | 15.5" | 29" | 39.4 | 69.0 ° | 10.0 | 68.2 ° | 54.4 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 112.6 | 77.9 | 39.3 | 60.0 |
| High geometry** | 17.5" | 29" | 41.9 | 69.0 ° | 10.0 | 68.2 ° | 57.3 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 115.6 | 77.5 | 42.3 | 60.0 |
| | 18.5" | 29" | 44.5 | 69.0 ° | 10.5 | 68.2 ° | 59.1 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 117.4 | 75.3 | 43.9 | 60.4 |
| | 19.5" | 29" | 47.0 | 69.0 ° | 11.0 | 68.2 ° | 60.6 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 118.9 | 75.9 | 45.4 | 60.4 |
| | 21.5" | 29" | 52.1 | 69.0 ° | 12.5 | 68.2 ° | 62.8 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 121.1 | 77.5 | 47.2 | 61.3 |
| Remedy AL 29 | 15.5" | 29" | 39.4 | 68.0 ° | 10.0 | 67.5 ° | 54.6 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 112.8 | 77.9 | 38.5 | 60.6 |
| Low geometry** | 17.5" | 29" | 41.9 | 68.0 ° | 10.0 | 67.5 ° | 57.6 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 115.8 | 76.5 | 41.5 | 60.6 |
| | 19" | 29" | 45.7 | 68.0 ° | 10.5 | 67.5 ° | 59.7 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 117.9 | 76.8 | 43.4 | 61.1 |
| | 21" | 29" | 50.8 | 68.0 ° | 11.0 | 67.5 ° | 61.8 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 120.0 | 78.1 | 45.1 | 62.0 |
| | 23" | 29" | 55.9 | 68.0 ° | 12.5 | 67.5 ° | 63.9 | 35.0 | 2.0 | 44.5 | 5.1 | 9.8 | 122.1 | 81.8 | 46.9 | 62.9 |
| Remedy AL 29 | 15.5" | 29" | 39.4 | 69.0 ° | 10.0 | 68.2 ° | 54.4 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 112.7 | 76.9 | 39.3 | 60.6 |
| High geometry** | 17.5" | 29" | 41.9 | 69.0 ° | 10.0 | 68.2 ° | 57.4 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 115.7 | 75.5 | 42.3 | 60.6 |
| | 19" | 29" | 45.7 | 69.0 ° | 10.5 | 68.2 ° | 59.4 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 117.7 | 75.8 | 44.1 | 61.1 |
| | 21" | 29" | 50.8 | 69.0 ° | 11.0 | 68.2 ° | 61.5 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 119.8 | 77.1 | 45.9 | 62.0 |
| | 23" | 29" | 55.9 | 69.0 ° | 12.5 | 68.2 ° | 63.6 | 35.9 | 2.0 | 44.3 | 5.1 | 9.3 | 121.9 | 80.8 | 47.6 | 62.9 |
| Slash | 15.5" | 27.5" | 39.4 | 66.5 ° | 10.0 | 65.0 ° | 55.7 | 35.0 | .6 | 43.5 | 4.4 | 11.7 | 114.9 | 79.5 | 39.7 | 58.1 |
| Low geometry** | 17.5" | 27.5" | 41.9 | 66.5 ° | 10.0 | 65.0 ° | 58.7 | 35.0 | .6 | 43.5 | 4.4 | 11.7 | 117.9 | 77.7 | 42.7 | 58.1 |
| | 18.5" | 27.5" | 44.5 | 66.5 ° | 10.0 | 65.0 ° | 60.0 | 35.0 | .6 | 43.5 | 4.4 | 11.7 | 119.2 | 76.2 | 44.0 | 58.1 |
| | 19.5" | 27.5" | 47.0 | 66.5 ° | 11.0 | 65.0 ° | 61.4 | 35.0 | .6 | 43.5 | 4.4 | 11.7 | 120.5 | 75.6 | 45.0 | 59.0 |
| | 21.5" | 27.5" | 52.1 | 66.5 ° | 12.0 | 65.0 ° | 64.2 | 35.0 | .6 | 43.5 | 4.4 | 11.7 | 123.4 | 74.5 | 47.4 | 59.9 |
| Slash | 15.5" | 27.5" | 39.4 | 67.2 ° | 10.0 | 65.7 ° | 55.5 | 35.8 | -.2 | 43.3 | 4.4 | 11.7 | 114.7 | 80.2 | 40.4 | 57.6 |
| High geometry** | 17.5" | 27.5" | 41.9 | 67.1 ° | 10.0 | 65.6 ° | 58.5 | 35.8 | -.2 | 43.3 | 4.4 | 11.7 | 117.7 | 78.4 | 43.4 | 57.6 |
| | 18.5" | 27.5" | 44.5 | 67.1 ° | 10.0 | 65.6 ° | 59.8 | 35.8 | -.2 | 43.3 | 4.4 | 11.7 | 119.0 | 76.9 | 44.7 | 57.6 |
| | 19.5" | 27.5" | 47.0 | 67.1 ° | 11.0 | 65.6 ° | 61.1 | 35.9 | -.3 | 43.3 | 4.4 | 11.7 | 120.4 | 76.4 | 45.6 | 58.5 |
| | 21.5" | 27.5" | 52.1 | 67.1 ° | 12.0 | 65.6 ° | 64.5 | 35.9 | -.3 | 43.3 | 4.4 | 11.7 | 123.2 | 75.3 | 48.0 | 59.4 |
| Session DH | S | 27.5" | 39.0 | 57.0 ° | 11.5 | 63.6 ° | 47.7 | 35.6 | 1.0 | 44.5 | 5.2 | 11.8 | 118.3 | 80.4 | 38.2 | 60.7 |
| Low geometry** | M | 27.5" | 39.0 | 57.0 ° | 11.5 | 63.6 ° | 51.5 | 35.6 | 1.0 | 44.5 | 5.2 | 11.8 | 120.3 | 79.0 | 40.2 | 60.7 |
| | L | 27.5" | 39.0 | 57.0 ° | 11.5 | 63.6 ° | 53.9 | 35.6 | 1.0 | 44.5 | 5.2 | 11.8 | 122.7 | 78.4 | 42.6 | 60.7 |
| | XL | 27.5" | 39.0 | 57.0 ° | 11.5 | 63.6 ° | 58.4 | 35.6 | 1.0 | 44.5 | 5.2 | 11.8 | 125.1 | 76.7 | 45.0 | 60.7 |
| Session DH | S | 27.5" | 39.0 | 57.6 ° | 11.5 | 64.2 ° | 57.0 | 36.4 | 1.4 | 44.3 | 5.2 | 11.4 | 118.5 | 81.0 | 38.9 | 60.3 |
| High geometry** | M | 27.5" | 39.0 | 57.6 ° | 11.5 | 64.2 ° | 59.0 | 36.4 | 1.4 | 44.3 | 5.2 | 11.4 | 120.5 | 79.3 | 40.8 | 60.3 |
| | L | 27.5" | 39.0 | 57.6 ° | 11.5 | 64.2 ° | 61.4 | 36.4 | 1.4 | 44.3 | 5.2 | 11.4 | 122.9 | 79.0 | 43.2 | 60.3 |
| | XL | 27.5" | 39.0 | 57.6 ° | 11.5 | 64.2 ° | 63.8 | 36.4 | 1.4 | 44.3 | 5.2 | 11.4 | 125.3 | 77.5 | 45.6 | 60.3 |
| Session Park | M | 26" | 44.0 | 57.0 ° | 12.5 | 63.6 ° | 58.6 | 35.6 | 1.3 | 42.0 | 4.5 | 12.0 | 116.3 | 74.7 | 39.2 | 59.3 |
| Low geometry** | L | 26" | 44.0 | 57.0 ° | 12.5 | 63.6 ° | 61.0 | 35.6 | 1.3 | 42.0 | 4.5 | 12.0 | 118.8 | 74.7 | 41.7 | 59.3 |
| Session Park | M | 26" | 44.0 | 57.6 ° | 12.5 | 64.2 ° | 58.2 | 36.4 | 2.1 | 41.8 | 4.5 | 11.9 | 116.0 | 75.4 | 39.8 | 58.8 |
| High geometry** | L | 26" | 44.0 | 57.6 ° | 12.5 | 64.2 ° | 60.7 | 36.4 | 2.1 | 41.8 | 4.5 | 12.0 | 118.0 | 75.4 | 42.3 | 58.9 |
| Ticket S | Long | 26" | 33.1 | 75.0 ° | 12.3 | 68.5 ° | 56.5 | 33.0 | 0.3 | 40.0 | 4.0 | 8.8 | 108.5 | 37.5 | 42.6 | 55.3 |
| Low geometry** | Long | 26" | 33.1 | 75.8 ° | 12.3 | 69.3 ° | 56.3 | 33.9 | 0.6 | 39.8 | 4.0 | 8.8 | 108.3 | 38.3 | 43.3 | 54.7 |
| Ticket S | Long | 26" | 33.0 | 71.0 ° | 12.0 | 70.0 ° | 57.0 | 32.0 | 1.2 | 39.8 | 4.0 | 7.7 | 105.0 | 69.1 | 41.4 | 54.3 |
| High geometry** | Long | 26" | 33.0 | 71.0 ° | 12.0 | 70.0 ° | 57.0 | 32.0 | 1.2 | 39.8 | 4.0 | 7.7 | 105.0 | 69.1 | 41.4 | 54.3 |
| Ticket DJ | Long | 26" | 33.0 | 71.0 ° | 12.0 | 70.0 ° | 57.0 | 32.0 | 1.2 | 39.8 | 4.0 | 7.7 | 105.0 | 69.1 | 41.4 | 54.3 |
| Marlin | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 52.5 | 30.6 | 4.8 | 43.8 | 4.4 | 8.9 | 103.3 | 66.0 | 35.2 | 56.5 |
| | 15.5" | 27.5" | 39.4 | 73.0 ° | 10.0 | 69.3 ° | 56.0 | 30.6 | 4.8 | 43.8 | 4.4 | 8.7 | 106.6 | 74.5 | 38.1 | 58.5 |
| | 17.5" | 29" | 41.9 | 72.5 ° | 10.0 | 69.3 ° | 60.2 | 31.6 | 5.3 | 44.5 | 5.1 | 8.5 | 111.6 | 76.5 | 41.3 | 60.0 |
| | 18.5" | 29" | 44.4 | 72.3 ° | 10.0 | 69.6 ° | 62.0 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 112.8 | 77.7 | 42.8 | 60.1 |
| | 19.5" | 29" | 47.0 | 72.0 ° | 10.0 | 69.6 ° | 63.9 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 114.4 | 78.9 | 44.4 | 60.1 |
| | 21.5" | 29" | 52.1 | 72.0 ° | 12.0 | 69.6 ° | 65.9 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 116.5 | 82.5 | 45.8 | 62.0 |
| | 23" | 29" | 55.9 | 72.0 ° | 12.0 | 69.6 ° | 67.3 | 31.6 | 5.3 | 44.5 | 5.1 | 8.3 | 117.9 | 84.8 | 47.2 | 62.0 |
| Skye SL Disc | 13.5" | 27.5" | 34.3 | 73.0 ° | 10.0 | 69.0 ° | 52.5 | 30.6 | 4.8 | 43.8 | 4.4 | 8.9 | 103.3 | 66.0 | 35.2 | 56.5 |
| Skye S Disc | 15.5" | 27.5" | 39.4 | 73.0 ° | 10.0 | 69.3 ° | 56.0 | 30.6 | 4.8 | 43.8 | 4.4 | 8.7 | 106.6 | 68.0 | 38.1 | 58.5 |
| | 17" | 29" | 40.6 | 73.0 ° | 10.0 | 69.0 ° | 59.0 | 31.2 | | 44.5 | 5.1 | 8.5 | 111.3 | 66.9 | 40.7 | 59.8 |
| | 18.5" | 29" | 44.5 | 73.0 ° | 10.0 | 69.0 ° | 61.2 | 31.2 | | 44.5 | 5.1 | 8.5 | 113.5 | 68.5 | 42.9 | 59.8 |
| Skye 26 | 13" | 26" | 33.0 | 74.0 ° | 11.0 | 70.5 ° | 52.4 | 28.7 | | 43.0 | 4.0 | 7.6 | 101.9 | 65.5 | | |
| | 16" | 26" | 40.6 | 73.5 ° | 11.0 | 70.5 ° | 54.6 | 29.1 | | 43.0 | 4.0 | 7.6 | 103.6 | 63.1 | | |
| | 19.5" | 26" | 49.5 | 73.0 ° | 17.0 | 70.5 ° | 57.5 | 29.3 | | 43.0 | 4.0 | 7.6 | 106.4 | 62.5 | | |
| 3 Series | 13" | 26" | 33.0 | 74.0 ° | 11.0 | 70.5 ° | 52.4 | 28.7 | | 43.0 | 4.0 | 7.6 | 101.9 | 70.5 | | |
| | 16" | 26" | 40.6 | 73.5 ° | 11.0 | 70.5 ° | 55.0 | 29.1 | | 43.0 | 4.0 | 7.6 | 104.0 | 73.8 | | |
| | 18" | 26" | 45.7 | 73.5 ° | 13.0 | 70.5 ° | 56.5 | 29.3 | | 43.0 | 4.0 | 7.6 | 105.7 | 77.2 | | |
| | 19.5" | 26" | 49.5 | 73.0 ° | 15.0 | 70.5 ° | 58.0 | 29.3 | | 43.0 | 4.0 | 7.6 | 106.8 | 79.9 | | |
| | 21" | 26" | 53.3 | 73.0 ° | 17.0 | 70.5 ° | 59.0 | 29.3 | | 43.0 | 4.0 | 7.6 | 107.9 | 82.7 | | |
| | 22.5" | 26" | 57.2 | 72.5 ° | 19.0 | 70.5 ° | 60.0 | 29.5 | | 43.0 | 4.0 | 7.6 | 108.4 | 85.7 | | |
| Police | 15.5" | 29" | 39.4 | 73.0 ° | 10.3 | 69.3 ° | 57.0 | 31.2 | 5.3 | 44.5 | 5.1 | 8.3 | 109.0 | 75.4 | 38.6 | 60.2 |
| | 17.5" | 29" | 44.5 | 72.5 ° | 10.3 | 69.3 ° | 60.2 | 31.2 | 5.3 | 44.5 | 5.1 | 8.3 | 111.6 | 77.5 | 41.2 | 60.2 |

| | | | | | | | | | | | | | | | | |
|---------------|-------|-----|------|--------|------|--------|------|------|-----|------|-----|-----|-------|------|------|------|
| | 19" | 29" | 48.3 | 72.0 ° | 10.3 | 69.6 ° | 62.2 | 31.2 | 5.3 | 44.5 | 5.1 | 8.1 | 112.7 | 79.5 | 42.6 | 60.3 |
| | 21" | 29" | 53.3 | 72.0 ° | 11.8 | 69.6 ° | 64.3 | 31.2 | 5.3 | 44.5 | 5.1 | 8.1 | 114.8 | 82.8 | 44.2 | 61.7 |
| | 23" | 29" | 58.4 | 72.0 ° | 11.8 | 69.6 ° | 66.3 | 31.2 | 5.3 | 44.5 | 5.1 | 8.1 | 116.9 | 85.9 | 46.2 | 61.7 |
| Powerfly+ FS | 15.5" | 29" | 36.8 | 71.0 ° | 13.0 | 68.0 ° | 55.5 | 33.3 | 1.7 | 47.0 | 4.4 | 9.4 | 110.1 | 73.0 | 38.9 | 59.5 |
| | 17.5" | 29" | 41.9 | 71.0 ° | 13.2 | 68.0 ° | 58.0 | 33.3 | 1.7 | 47.0 | 4.4 | 9.4 | 112.6 | 73.0 | 42.2 | 59.5 |
| | 18.5" | 29" | 44.5 | 71.0 ° | 14.0 | 68.0 ° | 60.5 | 33.3 | 1.7 | 47.0 | 4.4 | 9.4 | 115.1 | 73.0 | 39.8 | 60.2 |
| | 19.5" | 29" | 47.0 | 71.0 ° | 14.0 | 68.0 ° | 62.7 | 33.3 | 1.7 | 47.0 | 4.4 | 9.4 | 117.3 | 73.0 | 42.0 | 60.2 |
| | 21.5" | 29" | 52.1 | 71.0 ° | 16.0 | 68.0 ° | 65.3 | 33.3 | 1.7 | 47.0 | 4.4 | 9.4 | 120.0 | 73.0 | 43.9 | 62.1 |
| Powerfly+ | 15.5" | 29" | 40.0 | 73.0 ° | 14.0 | 69.0 ° | 56.1 | 33.2 | 5.3 | 48.5 | 5.1 | | 112.0 | 78.8 | 36.5 | 63.8 |
| | 17.5" | 29" | 42.5 | 72.5 ° | 14.0 | 69.0 ° | 58.3 | 33.2 | 5.3 | 48.5 | 5.1 | | 113.7 | 79.0 | 38.2 | 63.8 |
| | 19" | 29" | 47.0 | 72.5 ° | 16.0 | 69.0 ° | 60.7 | 33.2 | 5.3 | 48.5 | 5.1 | | 116.2 | 81.1 | 40.0 | 65.6 |
| | 21" | 29" | 51.5 | 72.5 ° | 16.0 | 69.0 ° | 63.2 | 33.2 | 5.3 | 48.5 | 5.1 | | 118.7 | 84.3 | 42.5 | 65.6 |
| Powerfly+ WSD | 15.5" | 29" | 40.0 | 73.0 ° | 14.0 | 69.0 ° | 55.5 | 32.0 | 4.8 | 46.5 | 4.4 | | 109.5 | 72.5 | 36.5 | 62.1 |
| | 17.5" | 29" | 42.5 | 72.5 ° | 14.0 | 69.0 ° | 57.8 | 32.0 | 4.8 | 46.5 | 4.4 | | 111.2 | 72.0 | 38.2 | 62.1 |